

iMAGE

SHOWERS



iWetrooms

iBathscreens

iTray

iDRAIN



CRAFTED IN KILKENNY
Since 1989



imageshowers.com

PROUDLY CRAFTED IN KILKENNY SINCE 1989



CRAFTED IN KILKENNY. DESIGNED FOR LIFE.

iMAGE Showers began in 1989 in a humble haybarn in Co. Kilkenny, a place renowned for Irish craftsmanship. From these modest beginnings, we have grown into one of Ireland's leading shower door specialists, known for precision engineering, timeless design and an unwavering commitment to quality.

For over 35 years, our story has been one of resilience, innovation, and dedication to doing things the right way. From classic ranges like the Ultra, Diamond and Alur, to modern innovations such as the i6, i3 Easy-Fit and the i7, our products are trusted by generations of homeowners and professionals alike.

What sets iMAGE apart is not just what we make, but how we make it. We remain the only shower door manufacturer still producing in Ireland, allowing us to maintain full control over quality, design and sustainability. Our latest offerings – from the sleek iDrain system to our slate trays and Opti-White glass colour range – reflect our commitment to evolving with our customers' needs while remaining rooted in quality and craftsmanship.



With a newly upgraded factory and showroom in Kilkenny, we are building for the future while staying true to our heritage. Every iMAGE product is thoughtfully designed to enhance daily wellness, transforming a functional space into a sanctuary. Whether it's a bespoke shower solution or a ready-to-fit door, our work is driven by a passion for elevating everyday moments.

At iMAGE Showers, we believe in more than just shower doors. We believe in beauty, longevity and responsibility – to our craft, our customers and our planet.



GUARANTEED FOR LIFE

At Image, every product detail and feature is designed around quality, performance and reliability. Our insistence on manufacturing excellence gives us the confidence to offer a lifetime guarantee across our product ranges.*

*See T&C at back of brochure

iMAGE
SHOWERS

imageshowers.com



SUSTAINABILITY COMMITMENT

At iMAGE, sustainability is not a trend, it's a responsibility we take seriously. Here's how we're making a difference:


- **Solar-Powered Production:** Our entire Kilkenny factory is powered by renewable energy, with 110 solar PV panels on our roof generating clean electricity for our enterprise.
- **Smarter Packaging:** We've redesigned our packaging to minimise material use and ensure it's fully recyclable, reducing waste across the supply chain.
- **Product Circularity:** Returned products are broken down so individual components can be reused or recycled, avoiding landfill and giving materials a second life.
- **Longer Product Lifespan:** We offer spare parts for every model, allowing customers to maintain their shower doors for years rather than replacing them prematurely.
- **Eco-Friendly Choices:** From LED lighting throughout our premises to using sustainable printers we are committed to making more environmentally friendly choices.

Our goal is clear: to create beautiful, durable products that respect the planet, not just today, but for future generations.

CONTENTS

iWETROOM COLLECTION	1
iWETROOM SCREEN	15
iBATHSCREENS	17
iSTONE SLATE TRAY COLLECTION	27
STANDARD ACRYLIC SHOWER TRAY COLLECTION	32
SLIP RESISTANT ACRYLIC SHOWER TRAY COLLECTION	35
SHOWER TRAY ACCESSORIES	37
I-DRAIN® COLLECTION	41
iMAGE BESPOKE	44
INFORMATION & MAINTENANCE	46

OUR VALUES



1. IRISH CRAFTSMANSHIP

Proudly designed and manufactured in Ireland, our products reflect the skill, care and precision of true Irish craftsmanship.



2. BUILT TO LAST

We engineer our products to endure in style, structure and sustainability. We believe that true quality stands the test of time.



3. THOUGHTFUL INNOVATION

We don't innovate for the sake of it. Every feature, finish and function is designed with purpose, enhancing both form and usability.



4. SUSTAINAILITY COMMITMENT

From solar-powered production to recyclable packaging and desgin for product longevity, we are committed to reducing our environmental impact.



5. EVERYDAY WELLNESS

We create shower spaces that go beyond the functional. We aim to promote a sense of calm, beauty and wellbeing for our customers.



6. INCLUSIVITY AND INTEGRITY

We strive to serve a wide audience from discerning homeowners to professional tradespeople, with honesty, respect and reliability.

IMAGE

SHOWERS

iWETROOM COLLECTION

THE iWETROOM COLLECTION BOASTS AN EXTENSIVE SELECTION OF WETROOM GLASS PANEL SIZE AND COLOUR OPTIONS. LET US HELP TO CREATE YOUR PERFECT WALK-IN SHOWER ZONE.

KEY FEATURES

2 metres high

8/10 mm toughened safety glass

iShield easy clean glass


reversible design

A COMPREHENSIVE WETROOM RANGE, AVAILABLE IN 6 DYNAMIC COLOUR OPTIONS

The iWETROOM collection is the perfect blend of style and function for the bathroom. Suitable for wetroom floor or shower tray installation, these elegant glass panels are available in 8mm or 10mm thick glass which features iShield easy clean coating.

Chrome	Black
Brushed Brass	Brushed Bronze
Brushed Nickel	Gunmetal

LET US CREATE YOUR DREAM SHOWER SPACE



i10 WETROOM SHOWER SCREEN

KEY FEATURES

↑↓ 2 metres high

🔧 10 mm toughened safety glass

🛡️ iShield easy clean glass

↻ reversible design

INNOVATION HIGHLIGHTS

- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Chrome Floor U Channel:** bottom U channel protects wetroom glass screen in the busy bathroom environment
- **Adjustable Wall Profiles:** to fit most homes
- **Signature Top Support Bar:** may be cut to size

SIZE OPTIONS

600mm | 700mm | 800mm | 900mm | 1000mm | 1200mm | 1300mm | 1400mm

COLOUR OPTIONS

■ Chrome

PEACE OF MIND

- **Lifetime Guarantee***
- **Spare Parts Available**
- **Extension Profiles Available**

GO BESPOKE: If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: bespoke@imageshowers.com | 056 7723374



i10 Wetroom Shower Screen in Chrome

For product size / colour codes and technical specifications see page 130 →



i9 Wetroom Screen with Hinged Flipper Panel in Brushed Brass

For product size / colour codes and technical specifications see page 130



i9 WETROOM SHOWER SCREEN with 300MM HINGED FLIPPER PANEL

KEY FEATURES

2 metres high

300 mm wide flipper panel

8 mm toughened safety glass



Optiwhite Glass – superior colour purity with a crystal clear glass complexion

INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear look
- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Ultra Frameless Design:** hinged flipper panel rotates 180°
- **Anodised Colour Finish:** offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear

SIZE OPTIONS

Shower Screen: 800mm | 900mm | 1000mm | 1200mm | 1400mm

Hinged Flipper Panel: 300mm

COLOUR OPTIONS


- | | |
|----------------|----------------|
| Chrome | Black |
| Brushed Brass | Brushed Bronze |
| Brushed Nickel | Gunmetal |

PEACE OF MIND

- **Lifetime Guarantee***
- **Spare Parts Available**
- **Extension Profiles Available**

GO BESPOKE: If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: bespoke@imageshowers.com | 056 7723374





i8 Wetroom Screen with Fluted Glass in Gunmetal

For product size / colour codes and technical specifications see page 132



i8 WETROOM SHOWER SCREEN with FLUTED GLASS

KEY FEATURES

2 metres high

300 mm wide flipper panel

8 mm toughened safety glass



Optiwhite Glass – superior colour purity with a crystal clear glass complexion

INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear look
- **IShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Framed Flipper Panel Design:** hinged flipper panel rotates 180°
- **Anodised Colour Finish:** offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear

SIZE OPTIONS

Shower Screen: 800mm | 900mm | 1000mm | 1200mm | 1400mm

Standard Framed Flipper Panel: 300mm

COLOUR OPTIONS

- | | |
|----------------|----------------|
| Chrome | Black |
| Brushed Brass | Brushed Bronze |
| Brushed Nickel | Gunmetal |

PEACE OF MIND

- **Lifetime Guarantee***
- **Spare Parts Available**
- **Extension Profiles Available**

GO BESPOKE: If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: bespoke@imageshowers.com | 056 7723374



i8 WETROOM SHOWER SCREEN with FROSTED GLASS

KEY FEATURES

2 metres high

8 mm toughened safety glass

iShield easy clean glass

reversible design



INNOVATION HIGHLIGHTS

- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Chrome Floor U Channel:** bottom U channel protects wetroom glass screen in the busy bathroom environment
- **Anodised Colour Finish:** offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear
- **Available in Three Glass Options:** clear, fluted or frosted

SIZE OPTIONS

600mm | 700mm | 800mm | 900mm | 1000mm | 1100mm | 1200mm | 1400mm

COLOUR OPTIONS

Chrome	Black
Brushed Brass	Brushed Bronze
Brushed Nickel	Gunmetal

PEACE OF MIND

- Lifetime Guarantee*
- Spare Parts Available
- Extension Profiles Available

GO BESPOKE: If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: bespoke@imageshowers.com | 056 7723374



i8 Wetroom Screen with Frosted Glass in Black

For product size / colour codes and technical specifications see page 132 →

i8

WETROOM SHOWER SCREEN
with 300MM STANDARD FLIPPER PANEL

KEY FEATURES

2 metres high

8 mm toughened safety glass

iShield easy clean glass

PEACE OF MIND

- Lifetime Guarantee*
- Spare Parts Available
- Extension Profiles Available

INNOVATION HIGHLIGHTS

- **Sturdy Framed design**
- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Anodised Colour Finish:** offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear

SIZE OPTIONS

Shower Screen: 600mm | 700mm | 800mm | 900mm | 1000mm | 1100mm | 1200mm | 1400mm

Framed Flipper Panel: 300mm | 400mm

COLOUR OPTIONS

- | | |
|----------------|----------------|
| Chrome | Black |
| Brushed Brass | Brushed Bronze |
| Brushed Nickel | Gunmetal |

GO BESPOKE: If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: bespoke@imageshowers.com | 056 7723374



i8 Wetroom Shower Screen
with Flipper Panel in Black

For product size / colour codes and technical specifications see page 130





Crittal Style Wetroom Screen
in Black

For product size / colour codes and
technical specifications see page 130



i8 CRITTAL STYLE WETROOM SCREEN

KEY FEATURES

 **2** metres
high

 **8** mm toughened
safety glass

 iShield easy
clean glass

INNOVATION HIGHLIGHTS

- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Black Screen Print Design**

SIZE OPTIONS

Shower Screen: 700mm | 800mm | 900mm

COLOUR OPTIONS

 Black

PEACE OF MIND

- **Lifetime Guarantee***
- **Spare Parts Available**
- **Extension Profiles Available**

GO BESPOKE: If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: bespoke@imageshowers.com | 056 7723374





i4 iWETROOM SCREEN

KEY FEATURES

 **2** metres high

 **8** mm toughened safety glass

 iShield easy clean glass

INNOVATION HIGHLIGHTS






- **Sturdy Framed design**
- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Anodised Colour Finish:** offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear

SIZE OPTIONS

Shower Screen: 600mm | 700mm | 800mm | 900mm | 1000mm | 1100mm | 1200mm | 1400mm

Framed Flipper Panel: 300mm | 400mm

COLOUR OPTIONS

- | | |
|--|--|
|  Chrome |  Black |
|  Brushed Brass |  Gunmetal |
|  Brushed Nickel | |

PEACE OF MIND

- **Lifetime Guarantee***
- **Spare Parts Available**
- **Extension Profiles Available**

GO BESPOKE: If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: bespoke@imageshowers.com | 056 7723374



IMAGE

SHOWERS

imageshowers.com

iBATHSCREEN COLLECTION

THE iBATHSCREEN COLLECTION IS DESIGNED TO COMPLEMENT BOTH TRADITIONAL AND CONTEMPORARY BATHROOM STYLES WITHOUT COMPROMISING ON ELEGANCE OR FUNCTIONALITY. WITH AN EXTENSIVE RANGE OF SHAPES AND SIZES, EACH SCREEN ADDS A REFINED TOUCH TO ANY BATHROOM SETTING.

KEY FEATURES

1400 mm high

6/8 mm toughened safety glass

iShield easy clean glass

reversible design



A STYLISH AND VERSATILE BATHSCREEN COLLECTION

Crafted in the heart of Kilkenny, our bathscreens are made with toughened safety glass and feature an easy-clean coating for everyday convenience. Backed by a lifetime guarantee, each of the 14 elegant designs in the Image Showers range offers a unique and practical solution for over-bath showering.

With six dynamic colour options to choose from, it's easy to find the perfect style to complement your bathroom.

- | | |
|----------------|----------------|
| Chrome | Black |
| Brushed Brass | Brushed Bronze |
| Brushed Nickel | Gunmetal |

LET US CREATE YOUR DREAM SHOWER SPACE



8MM SQUARE BATHTHSCREEN (FIXED)




KEY FEATURES

- 1400 mm high
- 8 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING DETAILS

- Fixed Panel Bathscreen – does not rotate
- Stabilising Bar included



COLOUR OPTIONS

Available in six colour options:



Code	Colour	Width
iB008	Chrome	800mm
iB008-BK	Black	800mm
iB008-BB	Brushed Brass	800mm

Code	Colour	Width
iB008-BN	Brushed Nickel	800mm
iB008-GM	Gunmetal	800mm
iB008-BZ	Brushed Bronze	800mm

8MM HINGED SQUARE BATHTHSCREEN




KEY FEATURES

- 1400 mm high
- 8 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING DETAILS

- Rotating Screen – Opens outwards only
- Stabilising Bar included



COLOUR OPTIONS

Chrome

Code	Colour	Width
iB006	Chrome	800mm

8MM 2 PANEL SQUARE BATHTHSCREEN



KEY FEATURES

- 1400 mm high
- 8 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING DETAILS

- Rotating Screen – Opens outwards only
- Stabilising Bar included



COLOUR OPTIONS

Chrome
Black

Code	Colour	Width
iB007	Chrome	900mm
iB007-BK	Black	900mm

L-SHAPED BATHTHSCREEN



KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING OPTIONS

Opens Outwards | Stabilising Bar included

OPENING DETAILS

- Fixed Panel Bathscreen – does not rotate
- Stabilising Bar included

COLOUR OPTIONS

Chrome Black

COLOUR OPTIONS

Chrome

Code	Colour	Width
iB006L	Chrome	800mm

8MM TWO PANEL SQUARE BATHSCREEN



KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING DETAILS

- Rotating Screen – Opens inwards only
- Stabilising Bar included

COLOUR OPTIONS

Chrome

Code	Colour	Width
iB005	Chrome	900mm

6MM SQUARE BATH SCREEN (FIXED)




KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING DETAILS

- Fixed Panel Bathscreen – does not rotate
- Stabilising Bar included



COLOUR OPTIONS

Chrome

Code	Colour	Width
iB004	Chrome	800mm

6MM SQUARE BATHSCREEN




KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING DETAILS

- Rotating Screen – Opens outwards only
- Stabilising Bar included



COLOUR OPTIONS

Chrome

Black

Code	Colour	Width
iB004	Chrome	800mm
iB004-BK	Black	800mm

6MM CURVED BATHSCREEN




KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING OPTIONS OPENING DETAILS

- Opens Outwards | Stabilising Bar included
- Rotating Screen – Opens outwards only



COLOUR OPTIONS

Chrome

Black

COLOUR OPTIONS

Chrome

Black

Code	Colour	Width
iB002	Chrome	800mm
iB002-BK	Black	800mm

250MM BATHTHSCREEN PANEL



KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

OPENING DETAILS

- Fixed Panel Bathscreen – does not rotate



COLOUR OPTIONS

	Code	Colour	Width
Chrome	iB001	Chrome	250mm

250MM BATHTHSCREEN WITH STRAIGHT RAIL



KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

COLOUR OPTIONS

	Code	Colour	Width
Chrome	iB001S	Chrome	250mm

250MM BATHTHSCREEN WITH CURVED RAIL



KEY FEATURES

- 1400 mm high
- 6 mm toughened safety glass
- iShield easy clean glass
- reversible design

COLOUR OPTIONS

	Code	Colour	Width
Chrome	iB001C	Chrome	250mm

IMAGE SHOWERS

imageshowers.com

iTRAY COLLECTION

iStone

SLATE TRAYS

SLATE TEXTURED FINISH, SLIP RESISTANT SURFACE

INNOVATION HIGHLIGHTS

- Crafted from High-grade Stone Resin
- Colour Matched Grills
- May Be Fitted On Top or Level With Floor
- Custom Size Cut Available
- Supplied with Premium Tourbillon High-flow Waste
- 5 Year Warranty

KEY FEATURES

30 mm depth

90 mm high flow waste

iTray

STANDARD ACRYLIC SHOWER TRAYS

INNOVATION HIGHLIGHTS

- Durable Acrylic Tray Options: complement all Image shower enclosures and wetroom designs
- Minimalist, Low Profile Designs
- Available in Quadrant, Offset Quadrant, Rectangular and Square Options

KEY FEATURES

40 mm depth

90 mm high flow waste

iTray

SLIP RESISTANT ACRYLIC SHOWER TRAYS

INNOVATION HIGHLIGHTS

- Features a Slip Resistant Textured Surface

KEY FEATURES

40 mm depth

90 mm high flow waste




LET US CREATE YOUR DREAM
SHOWER SPACE




iStone **SLATE TRAYS**
SLATE TEXTURED FINISH, SLIP RESISTANT SURFACE

iStone **SLATE TRAY:**
TOULOUSE BLACK




Code	A	B	C	D
T812REC-TB-LP	1200mm	800mm	410mm	400mm
T912REC-TB-LP	1200mm	900mm	450mm	450mm
T914REC-TB-LP	1400mm	900mm	450mm	450mm
T816REC-TB-LP	1600mm	800mm	410mm	400mm
T916REC-TB-LP	1600mm	900mm	410mm	450mm
T717REC-TB-LP	1700mm	700mm	610mm	350mm
T818REC-TB-LP	1800mm	800mm	610mm	400mm
T918REC-TB-LP	1800mm	900mm	610mm	450mm



iStone **SLATE TRAY:**
CALEIDO WHITE




Code	A	B	C	D
T812REC-CW-LP	1200mm	800mm	410mm	400mm
T912REC-CW-LP	1200mm	900mm	450mm	450mm
T914REC-CW-LP	1400mm	900mm	450mm	450mm
T816REC-CW-LP	1600mm	800mm	410mm	400mm
T916REC-CW-LP	1600mm	900mm	410mm	450mm
T717REC-CW-LP	1700mm	700mm	610mm	350mm
T818REC-CW-LP	1800mm	800mm	610mm	400mm
T918REC-CW-LP	1800mm	900mm	610mm	450mm



iStone SLATE TRAY:
LEGNO NATURAL




Code	A	B	C	D
T812REC-LN-LP	1200mm	800mm	410mm	400mm
T912REC-LN-LP	1200mm	900mm	450mm	450mm
T914REC-LN-LP	1400mm	900mm	450mm	450mm
T916REC-LN-LP	1600mm	900mm	410mm	450mm
T717REC-LN-LP	1700mm	700mm	610mm	350mm
T918REC-LN-LP	1800mm	900mm	610mm	450mm



iStone SLATE TRAY:
CALEIDO GOLD




Code	A	B	C	D
T812REC-CG-LP	1200mm	800mm	410mm	400mm
T912REC-CG-LP	1200mm	900mm	450mm	450mm
T914REC-CG-LP	1400mm	900mm	450mm	450mm
T816REC-CG-LP	1600mm	800mm	410mm	400mm
T916REC-CG-LP	1600mm	900mm	410mm	450mm
T717REC-CG-LP	1700mm	700mm	610mm	350mm
T818REC-CG-LP	1800mm	800mm	610mm	400mm
T918REC-CG-LP	1800mm	900mm	610mm	450mm



iStone SLATE TRAY:
FRAGUA PEARL




Code	A	B	C	D
T912REC-FP-LP	1200mm	900mm	450mm	450mm
T816REC-FP-LP	1600mm	800mm	410mm	400mm
T916REC-FP-LP	1600mm	900mm	410mm	450mm
T918REC-FP-LP	1800mm	900mm	610mm	450mm



iStone SLATE TRAY:
MOKA





Code	A	B	C	D
T812REC-MK-LP	1200mm	800mm	410mm	400mm
T912REC-MK-LP	1200mm	900mm	450mm	450mm
T914REC-MK-LP	1400mm	900mm	450mm	450mm
T816REC-MK-LP	1600mm	800mm	410mm	400mm
T916REC-MK-LP	1600mm	900mm	410mm	450mm
T717REC-MK-LP	1700mm	700mm	610mm	350mm
T818REC-MK-LP	1800mm	800mm	610mm	400mm
T918REC-MK-LP	1800mm	900mm	610mm	450mm
T900SQ-MK-LP	900mm	900mm	450mm	450mm
T1000SQ-MK-LP	1000mm	1000mm	500mm	500mm
T900Q-MK-LP	900mm	900mm	400mm	400mm




iStone SLATE TRAY:
SQUARE

Black Code	White Code	A	B	C	D
T900SQ-BK-LP	T900SQ-WH-LP	900mm	900mm	450mm	450mm
T1000SQ-BK-LP	T1000SQ-WH-LP	1000mm	1000mm	500mm	500mm




iStone SLATE TRAY:
RECTANGULAR

Black Code	White Code	A	B	C	D
T890REC-BK-LP	T890REC-WH-LP	900mm	800mm	450mm	400mm
T810REC-BK-LP	T810REC-WH-LP	1000mm	800mm	410mm	400mm
T811REC-BK-LP	T811REC-WH-LP	1100mm	800mm	410mm	400mm
T911REC-BK-LP	T911REC-WH-LP	1100mm	900mm	410mm	450mm
T712REC-BK-LP	T712REC-WH-LP	1200mm	700mm	410mm	350mm
T812REC-BK-LP	T812REC-WH-LP	1200mm	800mm	410mm	400mm
T912REC-BK-LP	T912REC-WH-LP	1200mm	900mm	450mm	450mm
T714REC-BK-LP	T714REC-WH-LP	1400mm	700mm	410mm	350mm
T814REC-BK-LP	T814REC-WH-LP	1400mm	800mm	410mm	400mm
T914REC-BK-LP	T914REC-WH-LP	1400mm	900mm	450mm	450mm
T715REC-BK-LP	T715REC-WH-LP	1500mm	700mm	410mm	350mm
T815REC-BK-LP	T815REC-WH-LP	1500mm	800mm	410mm	400mm
T915REC-BK-LP	T915REC-WH-LP	1500mm	900mm	410mm	450mm
T716REC-BK-LP	T716REC-WH-LP	1600mm	700mm	410mm	350mm
T816REC-BK-LP	T816REC-WH-LP	1600mm	800mm	410mm	400mm
T916REC-BK-LP	T916REC-WH-LP	1600mm	900mm	410mm	450mm
T717REC-BK-LP	T717REC-WH-LP	1700mm	700mm	610mm	350mm
T817REC-BK-LP	T817REC-WH-LP	1700mm	800mm	610mm	400mm
T917REC-BK-LP	T917REC-WH-LP	1700mm	900mm	610mm	450mm
T718REC-BK-LP	T718REC-WH-LP	1800mm	700mm	610mm	350mm
T818REC-BK-LP	T818REC-WH-LP	1800mm	800mm	610mm	400mm
T918REC-BK-LP	T918REC-WH-LP	1800mm	900mm	610mm	450mm
T920REC-BK-LP	T920REC-WH-LP	2000mm	900mm	610mm	450mm



iStone SLATE TRAY:
QUADRANT

Black Code	White Code	A	B	C	D
T900Q-BK-LP	T900Q-WH-LP	900mm	900mm	400mm	400mm
T1000Q-BK-LP	T1000Q-WH-LP	1000mm	1000mm	500mm	500mm




iStone SLATE TRAY:
OFFSET QUADRANT


Black Code	White Code	A	B	C	D
T810QL-BK-LP	T810QL-WH-LP	1000mm	800mm	550mm	350mm
T810QR-BK-LP	T810QR-WH-LP	1000mm	800mm	550mm	350mm
T812QL-BK-LP	T812QL-WH-LP	1200mm	800mm	750mm	350mm
T812QR-BK-LP	T812QR-WH-LP	1200mm	800mm	750mm	350mm
T912QL-BK-LP	T912QL-WH-LP	1200mm	900mm	750mm	450mm
T912QR-BK-LP	T912QR-WH-LP	1200mm	900mm	750mm	450mm



Right Hand
Offset Quadrant



Left Hand
Offset Quadrant



iTray

STANDARD ACRYLIC SHOWER TRAYS


Acrylic Shower Tray: white tray with a smooth surface



iTray STANDARD ACRYLIC SHOWER TRAY: SQUARE

TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T700SQ-LP	700mm	700mm	190mm	350mm
T760SQ-LP	760mm	760mm	190mm	380mm
T800SQ-LP	800mm	800mm	190mm	400mm
T900SQ-LP	900mm	900mm	190mm	450mm
T1000SQ-LP	1000mm	1000mm	190mm	500mm
T1100SQ-LP	1100mm	1100mm	190mm	600mm
T1200SQ-LP	1200mm	1200mm	190mm	700mm



iTray STANDARD ACRYLIC SHOWER TRAY: SQUARE CORNER WASTE

TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T800SQCW-LP	800mm	800mm	180mm	180mm
T900SQCW-LP	900mm	900mm	180mm	180mm



iTray STANDARD ACRYLIC SHOWER TRAY: RECTANGULAR

TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T790REC-LP	900mm	700mm	190mm	450mm
T7690REC-LP	900mm	760mm	190mm	450mm
T890REC-LP	900mm	800mm	190mm	450mm
T710REC-LP	1000mm	700mm	190mm	500mm
T7610REC-LP	1000mm	760mm	190mm	500mm
T810REC-LP	1000mm	800mm	190mm	500mm
T910REC-LP	1000mm	900mm	190mm	500mm
T711REC-LP	1100mm	700mm	190mm	550mm
T7611REC-LP	1100mm	760mm	190mm	550mm
T811REC-LP	1100mm	800mm	190mm	550mm
T911REC-LP	1100mm	900mm	190mm	550mm
T712REC-LP	1200mm	700mm	190mm	600mm
T7612REC-LP	1200mm	760mm	190mm	600mm
T812REC-LP	1200mm	800mm	190mm	600mm
T912REC-LP	1200mm	900mm	190mm	600mm
T913REC-LP	1300mm	900mm	190mm	650mm
T714REC-LP	1400mm	700mm	190mm	700mm
T7614REC-LP	1400mm	760mm	190mm	700mm
T814REC-LP	1400mm	800mm	190mm	700mm
T914REC-LP	1400mm	900mm	190mm	700mm
T715REC-LP	1500mm	700mm	190mm	750mm
T815REC-LP	1500mm	800mm	190mm	750mm
T915REC-LP	1500mm	900mm	190mm	750mm
T816REC-LP	1600mm	800mm	190mm	800mm
T916REC-LP	1600mm	900mm	190mm	800mm
T717REC-LP	1700mm	700mm	190mm	850mm
T7617REC-LP	1700mm	760mm	190mm	850mm
T817REC-LP	1700mm	800mm	190mm	850mm
T917REC-LP	1700mm	900mm	190mm	850mm
T718REC-LP	1800mm	700mm	190mm	850mm
T818REC-LP	1800mm	800mm	190mm	900mm
T918REC-LP	1800mm	900mm	190mm	900mm



iTray STANDARD ACRYLIC SHOWER TRAY:
QUADRANT

TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T800Q-LP	800mm	800mm	500mm	500mm
T900Q-LP	900mm	900mm	600mm	600mm
T1000Q-LP	1000mm	1000mm	700mm	700mm



iTray STANDARD ACRYLIC SHOWER TRAY:
OFFSET QUADRANT

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T7690QL-LP	900mm	760mm	510mm	600mm
T7690QR-LP	900mm	760mm	510mm	600mm
T890QL-LP	900mm	800mm	510mm	600mm
T890QR-LP	900mm	800mm	510mm	600mm
T810QL-LP	1000mm	800mm	510mm	700mm
T810QR-LP	1000mm	800mm	510mm	700mm
T811QL-LP	1100mm	800mm	510mm	800mm
T811QR-LP	1100mm	800mm	510mm	800mm
T812QL-LP	1200mm	800mm	510mm	900mm
T812QR-LP	1200mm	800mm	510mm	900mm
T910QL-LP	1000mm	900mm	610mm	700mm
T910QR-LP	1000mm	900mm	610mm	700mm
T911QL-LP	1100mm	900mm	610mm	800mm
T911QR-LP	1100mm	900mm	610mm	800mm
T912QL-LP	1200mm	900mm	610mm	900mm
T912QR-LP	1200mm	900mm	610mm	900mm



iTray SLIP RESISTANT ACRYLIC
SHOWER TRAYS

INNOVATION HIGHLIGHTS

- Features a Slip Resistant Textured Surface

iTray SLIP RESISTANT ACRYLIC SHOWER TRAY:
RECTANGULAR

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T790REC-SR	900mm	700mm	180mm	450mm
T7690REC-SR	900mm	760mm	180mm	450mm
T890REC-SR	900mm	800mm	180mm	450mm
T710REC-SR	1000mm	700mm	180mm	500mm
T810REC-SR	1000mm	800mm	180mm	500mm
T910REC-SR	1000mm	900mm	180mm	500mm
T811REC-SR	1100mm	800mm	180mm	550mm
T712REC-SR	1200mm	700mm	180mm	600mm
T7612REC-SR	1200mm	760mm	180mm	600mm
T812REC-SR	1200mm	800mm	180mm	600mm
T912REC-SR	1200mm	900mm	180mm	600mm
T813REC-SR	1300mm	800mm	180mm	650mm
T714REC-SR	1400mm	700mm	180mm	700mm
T814REC-SR	1400mm	800mm	180mm	700mm
T914REC-SR	1400mm	900mm	180mm	700mm
T815REC-SR	1500mm	800mm	180mm	750mm
T915REC-SR	1500mm	900mm	180mm	750mm
T716REC-SR	1600mm	700mm	180mm	800mm
T816REC-SR	1600mm	800mm	180mm	800mm
T916REC-SR	1600mm	900mm	180mm	800mm
T717REC-SR	1700mm	700mm	180mm	850mm
T7617REC-SR	1700mm	760mm	180mm	850mm
T817REC-SR	1700mm	800mm	180mm	850mm
T917REC-SR	1700mm	900mm	180mm	850mm
T818REC-SR	1800mm	800mm	180mm	900mm


KEY FEATURES

40 mm depth

90 mm high flow waste



Slip Resistant Acrylic Shower Tray: white tray with a slip resistant finish




iTray

SLIP RESISTANT ACRYLIC SHOWER TRAY:
SQUARE

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T700SQ-SR	700mm	700mm	180mm	350mm
T760SQ-SR	760mm	760mm	180mm	380mm
T800SQ-SR	800mm	800mm	180mm	400mm
T900SQ-SR	900mm	900mm	180mm	450mm




iTray

SLIP RESISTANT ACRYLIC SHOWER TRAY:
QUADRANT

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T800Q-SR	800mm	800mm	180mm	180mm
T900Q-SR	900mm	900mm	180mm	180mm




iTray

SLIP RESISTANT ACRYLIC SHOWER TRAY:
OFFSET QUADRANT

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T810QL-SR	800mm	1000mm	180mm	500mm
T810QR-SR	800mm	1000mm	180mm	500mm
T812QL-SR	800mm	1200mm	180mm	600mm
T812QR-SR	800mm	1200mm	180mm	600mm
T912QL-SR	900mm	1200mm	180mm	600mm
T912QR-SR	900mm	1200mm	180mm	600mm



TRAY ACCESSORIES

PANEL KIT SYSTEM

TECHNICAL SPECIFICATIONS

Code	Size
Panel Kit-Square/Rectangle	95mm
Panel Kit-Quad/Offset Quad	95mm
Shower Tray Feet	95mm



Quad / Offset Quad



Square / Rectangle

WASTES

TECHNICAL SPECIFICATIONS

Code	Size
W90MM-TB	90mm







90mm Tourbillon Wirquin
High-flow Waste

IMAGE

SHOWERS

[imageshowers.com](https://www.imageshowers.com)

LET US CREATE YOUR DREAM
SHOWER SPACE



[imageshowers.com](https://www.imageshowers.com)



I-DRAIN® Square
in Chrome



I-DRAIN®
AIO*



AIO Video



Stainless steel

Matt Black

Gunmetal Black

Yellow Gold

Light Gold

Copper

Metal Black

Chocolate



THE ALL-IN-ONE DESIGN DRAIN

- **Built-in Height:** 58 mm
- **Flow Capacity:** 31 l/min
- **Two Fixed Lengths:** 950mm or 1150mm
- **Length-adjustable Grating:** 33 mm wide
- **Can Be Shortened:** for a wall-to-wall effect (cutting disk included in box)
- **Optional Extensions:** to extend the grating
- **Siphon can rotate 360°:** allows for connection in any direction
- **Horizontal and Vertical Connection Option**
- **Stainless Steel Grating:** standard in box

I-DRAIN® AIO is standard supplied with a stainless steel grating* (standard in box). The drain is also compatible with a matt black decorative profile or a profile with a Yellow Gold PVD coating**.

TECHNICAL SPECIFICATIONS

Code	Size	Colour
IDSS950A	950mm	Chrome
IDSS950A-GD	950mm	Yellow Gold
IDSS950A-BK	950mm	Matt Black
IDSS950A-GM	950mm	Gun Metal
IDSS950A-CP	950mm	Copper
iDSS1150A	1150mm	Chrome
iDSS1150A-GD	1150mm	Yellow Gold
iDSS110A-BK	1150mm	Black



I-DRAIN® AIO in Yellow Gold



I-DRAIN® AIO in Matt Black

*All-in-one package. Stainless steel grating included in box.
**Optional



I-DRAIN®
SQUARE*

Built-in height: 54 mm. | Flow capacity: 24 l/min | 150x150 mm | Drain body: deep-drawn stainless steel. | No welding joints, no risk of leaks. | Reversible stainless steel grating* (standard in box).

TECHNICAL SPECIFICATIONS

Code	Size	Colour
IDSS150SQ	150mm	Chrome

*Reversible stainless steel grating included in box



I-DRAIN® LINEAR
STAINLESS STEEL*

Ultra low height of 54 mm. Also available in 72 mm. | 1 or 2 siphons | Flow capacity: 26.4 l/min. or 31.8 l/min | Drain body: deep-drawn stainless steel or ABS | Pre-glued waterproofing membrane with a 25-year guaranteed watertightness. | Reversible stainless steel grating* (standard in box).



TECHNICAL SPECIFICATIONS

Code	Size
iDSS600	600mm
iDSS700	700mm
iDSS800	800mm
iDSS900	900mm
iDSS1000	1000mm
iDSS1100	1100mm
iDSS1200	1200mm

*Reversible stainless steel grating included in box



I-DRAIN® LINEAR
ABS*


Ultra low height of 54 mm. | Flow capacity: 26.4 l/min. | Drain body: ABS | Pre-glued waterproofing membrane with a 25-year guaranteed watertightness. | Reversible stainless steel grating* (standard in box).



TECHNICAL SPECIFICATIONS

Code	Size
iDABS600	600mm
iDABS700	700mm
iDABS800	800mm
iDABS900	900mm
iDABS1000	1000mm
iDABS1200	1200mm

*Reversible stainless steel grating included in box



*The Linear and ABS drains are standard supplied with a stainless steel reversible grating (standard in box).



Matt Black (optional)

MATT BLACK GRATING*

The drains are compatible with a matt black decorative profile (optional).

TECHNICAL SPECIFICATIONS

Code	Size
iDGR600BK	Linear 600mm
iDGR700BK	Linear 700mm
iDGR800BK	Linear 800mm
iDGR900BK	Linear 900mm
iDGR1000BK	Linear 1000mm
iDGR1200BK	Linear 1200mm

*iDrains must be purchased separately

iDrain connector: additional connections available for iDrain extension.

Code
MATT
POLISHED STRAIGHT
TILE STRAIGHT

IMAGE BESPOKE

Image Showers are experts in the design and manufacture of bespoke showering solutions, created precisely to client specification. Our in-house manufacturing team have decades of specialist knowledge in crafting made to measure solutions for more unusual shower design requirements. Image products are of enduring quality and built from the finest raw materials at our production facility in Kilkenny, Ireland. A lifetime guarantee extends across our products, with spare parts readily available for ultimate peace of mind*.

Image is the bespoke shower door specialist – we are the preferred supplier for many prestigious hotel & commercial projects nationwide. Our expert design, measurement and installation service is trusted within the industry.

Image offer a complete end-to-end service - from initial site visit, design concept development, to product manufacture, through to installation and after-sales maintenance.

FROM CONCEPT TO COMPLETION,
WE'RE THERE



Liss Ard Estate, West Cork

IMAGE
SHOWERS

PROUDLY IRISH,
PERFECTLY BESPOKE

To arrange a free design consultation contact:
bespoke@imageshowers.com | 056 7723374

imageshowers.com

INFORMATION & MAINTENANCE

PRODUCT

All products are manufactured in accordance with ISO 9001 and EN 14428 and utilise toughened safety glass to EN12150-1 class A standard. Aluminium sections are extruded to BS 1474 from alloys complying with BS 6463 and coated to BS 6464. Doors and enclosures have been tested in accordance with EN 14428 and are suitable for use with modern power showers. The position of all shower valves in the brochure are for illustrative purposes only.

CE AND EN INFORMATION

The CE marking on The Company’s products is a declaration that the product complies with the essential requirements of the European health, safety and environmental protection legislation.

The CE marking on a product indicates to government officials that the product may be legally placed on the market in their country. This ensures the free movement of the product within EFTA and the European Union single market and permits the withdrawal of the non conforming products by customs and enforcement authorities.

The European Union’s “new approach directives” are mandatory on all member countries to enact through national legislation. This legislation requires manufacturers to display a CE marking on their product, packaging and accompanying literature. Where a new approach directive is in force, it is (with few exceptions) an offence to place a product on the market without a CE marking.

Often consumers will consider CE marking on a product as an indication of conformance to laid down minimum standards and therefore, a minimum level of safety which other products may lack. CE marking is for many consumers a “Symbol of Safety”

DELIVERIES

Deliveries should be inspected immediately after receipt and any discrepancies should be notified within 7 days. Notifications received after this period will not be accepted.

Goods supplied are subject to carriage charge* ask The company for details*. Lead time direct to a reseller is 3 working days.

CLEANING

- It is important to clean your shower door and tray after every use. Here is what we recommend:
- Wipe down all the glass and metal parts with a soft cloth.
 - Do not allow lime scale to build up in hard water areas.
 - Ensure that any residual water on the glass is removed after every use.
 - Clean the glass regularly with soapy water.
 - Do not use any abrasive products on any surfaces.
 - Install enclosures in a well ventilated area.
 - Always read the instructions on the packaging.

Bathroom products are vulnerable to acid attack and some strong household cleaners including strong disinfectants, denture cleaners, hair dyes, wine making chemicals and photographic chemicals may contain acid. These materials may have a varying effect on the surface, from black spots/streaks (which cannot be removed) to pitting the surface. Contact with these materials should be avoided.

SHOWER ENCLOSURE ADJUSTMENT

This is the min and max adjustment of the actual enclosure. These are the adjustment dimensions of the actual door excluding the tray. Therefore, these are the dimensions to follow when installing an enclosure in a wet room application without a tray.

The guide below may be helpful in taking measurements to determine the shower door or enclosure size required. Dimensions given in this publication are in millimetres, are approximate and may vary with adjustment. They are subject to change without notice.

Please note that when a tray is fitted, it is essential that the tray is level before any doors or enclosures are fitted. Uneven trays may lead to leakages and would invalidate our guarantee.

BATH SCREEN INFORMATION

Bath Screens are not designed to fit on baths with stepped fronts, roll top rims, or integral soap dishes. Fitting of Screens on baths which have raised head rests or shapes, is not recommended.

There must be no items causing obstruction with the seal and bath, as any of the above may cause leaks. When choosing your Bath Screen, please ensure that if your bath has bath handles, that they do not interfere with the bath rim area where your Screen will be placed.

When choosing an in-swing or folding Bath Screen please ensure that your swing area is not interfering with any brassware or internal shower features. Similarly, when choosing an out-swing, please ensure that the out-swing area is free from any obstructions.

IMPORTANT SHOWER TRAY INFORMATION

Although shower door and enclosure sizes are related to tray sizes, it is important to note that most shower trays are tiled down to the rim, often over an “up-stand”. The finished installation space may be less than the nominal tray size. Shower units are made to suit this remaining space.

TRAY FINISH MIN – MAX

The tray finish applies when fitting a door and a tray. These are the minimum and maximum dimensions that a shower door or enclosure will fit using standard wall profiles.

To find the correct tray finish dimension:

- In a recess: measure from the finished, tiled wall to the opposite finished, tiled wall.
- In a corner: measure from the finished, tiled wall to the edge of the tray.

Note: If the wall/walls are leaning in, this will further reduce your tray finish.

Please ensure that the size of shower tray is as per your order before installation. You must inspect the product thoroughly before installation. Fitting the product is acceptance of quality. Tray heights may vary due to manufacturing tolerances.

Where your shower tray is not fully enclosed, please ensure that your panel is at least ¾ of the length of your tray size. Please ensure that the shower head is not positioned over the waste as this may restrict flow rate.

RETURNS

No return of goods will be accepted by The Company without prior authorisation and compliance with our returns procedure.

In the event that the customer returns any goods which are not defective, such goods will be accepted by The Company only if they are returned to The Company in an undamaged, resalable condition, which requires that the goods are unused and contained within their original, unopened and undamaged packaging.

In the event that the customer wishes to return non-defective goods to The Company following the expiry of the 21 day period, The Company will have absolute sole discretion as to whether it shall offer a refund to the customer in respect of such goods.

In relation to any returns made, The Company will deduct 40% of the price paid for the relevant goods and The Company will deduct a discretionary restocking fee (which may exceed 40% of the price paid for the relevant goods) plus the cost of carriage, from the sums refunded to the customer, in order to cover The Company’s administration and restocking costs.

The company will not accept any return of (or issue any refund or credit in respect of) non-faulty goods more than 30 days following the delivery date.

If a return of goods has been agreed by The Company, it will arrange a collection date with its courier. If The Company or its courier is unable to collect the goods on the date proposed by the courier due to any act or omission by the customer, then an administration fee will be payable by the customer (which The Company may deduct from any sums refunded to the customer).

GENERAL

All products are supplied complete with full installation instructions and the necessary fixings. Check with your dealer for accurate matching of material samples. Product descriptions do not imply the use of precious or valuable materials.

Our policy of reviewing product design and development on a regular basis means The Company reserve the right to change product specifications and prices without notice.

Glass shattering and parts subject to wear are not covered by the lifetime guarantee.

Trays shown in this catalogue are for illustrative purposes only.

Images are for illustrative purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all shower heads in the brochure is for illustrative purposes only. All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon The Company.

Prices are correct at the time of print with the rate of VAT which applies at the time. Due to circumstances beyond our control, prices may be altered including changes to the rate of VAT.

Due to our policy of continuous improvement, we reserve the right to amend prices, specifications and designs without prior notice. Images are for illustrative purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

LIABILITY

In the event of any breach of The Company's obligations, the remedies of the customer will be limited through damages.

Except as set out in these conditions, all warranties, conditions and other terms impaled by law (whether by statute, common law or otherwise), are to the fullest extent permitted by the law, excluded from the contract.

The Company's maximum aggregate liability arising out of or in connection with a contract, whether in a contract, tort, misrepresentation under statute or otherwise, howsoever caused including any liability under an indemnity contained in the contract and/ or arising from a breach of, or a failure to perform or defect or delay in performance of, any of The Company's obligations under the contract and/or any defect in any of the goods supplied under the contract and/or any use made or resale of any such goods by the customer or of any product incorporating any of such goods shall be limited to the aggregate price paid or payable under the contract.

The company shall not have any liability to the customer for any loss of profit (direct or indirect); loss of revenue, loss of production or loss of business (in each case whether direct or indirect); loss of goodwill, loss of reputation or loss of opportunity (in each case whether direct or indirect); loss of anticipated saving or loss of margin(whether direct or indirect); liability of the customer to third parties (whether direct or indirect); consequential or special loss arising out of or in connection with the contract, whether in contact, tort or misrepresentation under the statute or otherwise, howsoever caused including by negligence and/or arising from a breach of, or a failure to perform or detect or delay in performance of, any of The Company's obligations under the contract.

Nothing in the contract shall operate to exclude or restrict The Company's liability (if any) to the customer for breach of its obligations arising under section 12 of the Sale of Goods Act 1979; for breach of its obligations arising under section 2 of the Supply of Goods and Services Act 1982; for death or personal injury resulting from its negligence; for its fraud or fraudulent misrepresentation; or for any matter for which it is not permitted by the law to exclude or limit, or to attempt to exclude or limit, its liability.



i7 Frameless Double Hinge Doors Corner Access

QUALITY GUARANTEED

Image products are manufactured in accordance with ISO 9001 and EN 14428 and utilise toughened safety glass to EN12150-1 class A standard.

Aluminium sections are extruded to BS 1474 from alloys complying with BS 6463 and coated to BS 6464. Doors and enclosures have been tested in accordance with EN 14428.

The CE marking is a declaration that the product complies with the essential requirements of the European health, safety and environmental protection legislation.



This brochure was designed with green energy, and it is printed on FSC® Certified and Carbon Balanced paper.



This will need a new code when printed

IMAGE

SHOWERS

Purcellsinch Industrial
Estate, Dublin Rd,
Purcellsinch, Co Kilkenny
R95 DT73

+353 (0)56 7723374
info@imageshowers.com



@imageshowers

imageshowers.com

